

*SCOPIA Connector for IBM Lotus Sametime
version 5.7*



*Installation and Administration
Guide*



RADVISION
Delivering the Visual Experience

NOTICE

© 2005-2008 RADVISION Ltd. All intellectual property rights in this publication are owned by RADVISION Ltd and are protected by United States copyright laws, other applicable copyright laws and international treaty provisions. RADVISION Ltd retains all rights not expressly granted.

This publication is RADVISION confidential. No part of this publication may be reproduced in any form whatsoever or used to make any derivative work without prior written approval by RADVISION Ltd.

No representation of warranties for fitness for any purpose other than what is specifically mentioned in this guide is made either by RADVISION Ltd or its agents.

RADVISION Ltd reserves the right to revise this publication and make changes without obligation to notify any person of such revisions or changes. RADVISION Ltd may make improvements or changes in the product(s) and/or the program(s) described in this documentation at any time.

If there is any software on removable media described in this publication, it is furnished under a license agreement included with the product as a separate document. If you are unable to locate a copy, please contact RADVISION Ltd and a copy will be provided to you.

Unless otherwise indicated, RADVISION registered trademarks are registered in the United States and other territories. All registered trademarks recognized.

Draft

For further information contact RADVISION or your local distributor or reseller.

SCOPIA Connector version 5.7, November 2008

Publication 3

<http://www.radvision.com>

CONTENTS

About This Manual

Feedback v

1 *Installing the SCOPIA Connector Plug-in*

Installing the Software from the CD-ROM	2
Update Sites	3
Distribution Methods for the SCOPIA Connector Plug-in	3
How to Automatically Deploy the Plug-in	4
Installing the Plug-in via the Community Client Document (for Administrators)	4
Installing the Plug-in via the preferences.ini File (for End Users)	5
Manually Installing the Plug-in from an Update Site	6
Preventing Manual Downloading	7
Installing the Plug-in without an HTTP Server	7

ABOUT THIS MANUAL

The [SCOPIA Connector for IBM Lotus Sametime Installation and Administration Guide](#) provides information for administrators and end users about SCOPIA Connector deployment, and installation in the IBM Lotus Sametime environment.

Note The SCOPIA Connector plug-in works with the following IBM product versions:

- Sametime 7.5
- Sametime 7.5.1
- Sametime 7.5.1 CF1
- Sametime 8.0 and 8.0.1
- Lotus Notes 8.0

This manual refers to options available in Sametime 8.0.

Configuration options may vary according to the product version you are using.

FEEDBACK

The team at RADVISION constantly endeavors to provide accurate and informative documentation. If you have comments or suggestions regarding improvements to future publications, we would value your feedback.

Please send your comments to doc_comments@radvision.com.

We thank you for your contribution.

1

INSTALLING THE SCOPIA CONNECTOR PLUG-IN

This section describes how administrators or end users can automatically deploy the SCOPIA Connector plug-in throughout a network, and how end users can manually install the plug-in on a Sametime Connect client.

This section describes the following topics:

- [Installing the Software from the CD-ROM](#) on page 2
- [Update Sites](#) on page 3
- [Distribution Methods for the SCOPIA Connector Plug-in](#) on page 3
- [How to Automatically Deploy the Plug-in](#) on page 4
- [Manually Installing the Plug-in from an Update Site](#) on page 6
- [Preventing Manual Downloading](#) on page 7
- [Installing the Plug-in without an HTTP Server](#) on page 7

INSTALLING THE SOFTWARE FROM THE CD-ROM



Install the SCOPIA Connector plug-in directly from the SCOPIA Desktop CD-ROM.

Procedure

- 1 Insert the CD-ROM.
 - 2 Wait for the autorun menu screen to display.
 - 3 Select SCOPIA Connector **for IBM Lotus Sametime**.
 - 4 Select **Install Update Site**.
 - 5 Click the setup.exe file and follow the on-screen instructions.
The **Choose Installation Location** screen detects if SCOPIA Desktop is installed.
 - 6 If SCOPIA Desktop is detected, the installer attempts to create an update site at
`<installdir>/Tomcat/webapps/ROOT/sametime`
The default update site URL is <http://server/sametime>.
 - 7 Alternatively, you can instruct the installer to create an update site at a different location.
These necessary files must either be placed under a Sametime update site or should be distributed manually.
 - 8 If SCOPIA Desktop is not detected, define the location at which you want the installer to place the files needed for an update site.
By default, the installer places the files at
`\Program Files\Radvision\SCOPIA Connector for IBM Lotus Sametime`
You must either place the files needed for an update site under a Sametime update site, or distribute them manually.
-

UPDATE SITES

An update site is a specific directory layout with an XML file that specifies all the available plug-ins. The method of how the update site is presented to the client can vary (for example, as a web site or via the local file system).

If SCOPIA Desktop is detected when installing SCOPIA Connector, an Eclipse update site is created for you in the SCOPIA Desktop installation directory at `<installdir>/Tomcat/webapps/ROOT/sametime`. You can use the update site at this location, or you can copy the files from the update site to a location of your choice.

We recommend using the installer to create the update site. This is usually set up on the same server as SCOPIA Desktop.

If you already have plug-ins that you automatically push via an update site, you need to merge the SCOPIA Connector `site.xml` file with the existing `site.xml` file, and copy the contents of the SCOPIA Connector features and plug-ins folders into the existing corresponding folders.

DISTRIBUTION METHODS FOR THE SCOPIA CONNECTOR PLUG-IN

You can distribute the SCOPIA Connector plug-in by using these methods:

- “Pushing” the plug-in to all Lotus Sametime Connect users in a specified community.

The plug-in is automatically downloaded to the client when the user launches Lotus Sametime Connect. The user is notified of the update and can have the client restart automatically to load the new plug-in.

For more information, see [How to Automatically Deploy the Plug-in](#) on page 4.

- Sending the update site URL to users.

Users must then retrieve and install the plug-in manually using the Lotus Sametime Connect Manage Updates user interface.

For more information, see [Manually Installing the Plug-in from an Update Site](#) on page 6.

You can optionally prevent users from performing this procedure. For more information, see [Preventing Manual Downloading](#) on page 7.

HOW TO AUTOMATICALLY DEPLOY THE PLUG-IN

- Installing the Plug-in via the Community Client Document (for Administrators) on page 4
- Installing the Plug-in via the preferences.ini File (for End Users) on page 5

INSTALLING THE PLUG-IN VIA THE COMMUNITY CLIENT DOCUMENT (FOR ADMINISTRATORS)

This section describes how you can automatically deploy the SCOPIA Connector plug-in via the Sametime server Community Client Document.



Procedure

- 1 Create an update site (see [Update Sites](#) for an explanation of update sites).
- 2 Open the stconfig.nsf file on the Sametime server.
- 3 Double click the **CommunityClient** document.
- 4 Add the full path to your update site (including http://) in the URL for UIM Provisioning field.
- 5 Copy this URL to the Sametime update site URL field in the Policy which applies to the users.
- 6 Save and close the stconfig.nsf file.
- 7 Using the web-based server administrator (<http://<server>/stcenter.nsf>) log in as the administrator.
- 8 Click the **Administer the server** link.
- 9 Click the **Policies** link.
- 10 Click the **Sametime Default Policy** link.
- 11 In the Instant Messaging section, modify the Sametime update site URL with local update site on the Sametime server.
- 12 Click **Go** to save your changes.
- 13 Use another web page and run the Domino Server Administrator (<http://<server>/webadmin.nsf>).

- 14 Log in and click the **Server** tab at the top of the page.
- 15 Select **Tools > Server > Restart** to restart your Sametime server.

The next time a user logs in to the Sametime Connect client, the plug-in is downloaded and the user is prompted to restart the Sametime client.

INSTALLING THE PLUG-IN VIA THE preferences.ini FILE (FOR END USERS)

This section describes how you can automatically deploy the SCOPIA Connector plug-in via the Sametime Connect preferences.ini configuration file. The preferences.ini file is located by default at the following locations on the Sametime Connect client:

- Sametime 7.5.x
C:\Program Files\ibm\Sametime Connect\plugins\com.ibm.collaboration.realtime.update_1.0.0
- Sametime 8.0
C:\Program Files\IBM\Lotus\Sametime Connect\shared\eclipse\plugins\com.ibm.collaboration.realtime.update_8.0.0.20071119-1552



Procedure

- 1 Create an update site (see [Update Sites](#) on page 3 for an explanation of update sites).
- 2 Open the preferences.ini file.
- 3 Type your update site URL as the value for the *adminUpdatePolicyURL* parameter. Use the format
adminUpdatePolicyURL=http://server.domain.com/directoryname/site.xmls
- 4 Save and close the preferences.ini file.

The next time the user logs in to the Sametime Connect client, the client searches for the update site URL in the *URL for UIM Provisioning* parameter of the stconfig.nsf file on the Sametime server.

If the client fails to find the URL, the client searches for the value of the *adminUpdatePolicyURL* parameter of the preferences.ini file.

When the client finds this value, the plug-in is downloaded and the user is prompted to restart the Sametime client.

MANUALLY INSTALLING THE PLUG-IN FROM AN UPDATE SITE

This section describes how Sametime end users can manually install the SCOPIA Connector plug-in on a Sametime Connect client.

The SCOPIA Connector plug-in is available for download from an update site. For more information, see [Update Sites](#) on page 3.

Note Sametime Administrators may prevent end users from performing manual downloads. For more information, see [Preventing Manual Downloading](#) on page 7.



Procedure

- 1 In the Sametime Connect client user interface, choose (for Sametime 7.5 CF1) **File > Manage Updates > Download Plugins** (for Sametime 7.5.1 and 8.0) **Tools > Plug-ins > Install plug-ins...**
- 2 If you have a previous version of the plug-in already installed, the installer prompts you to search for updates to the currently installed features. In the Feature Updates window, choose **Search for updates of the currently installed features**, and then go to [step 9](#).
- 3 If you do not have a previous version of the plug-in installed, in the Feature Updates window choose **Search for new features to install**, and click **Next**.
- 4 In the Update sites to visit window, click **Add Remote Location** (or **New Remote Site** for Sametime 7.5.1 CF1).
- 5 Type an update site name and URL.
For example, name “SCOPIA Connector” and URL <http://<server>/sametime>.
- 6 Click **OK** to save the location.
- 7 Click the checkbox for the new location.
- 8 Click **Finish**.
- 9 In the Search Results window, expand the tree labeled with the name that you typed at [step 5](#) to view all available SCOPIA Connector plug-ins.
- 10 Choose the latest version of the SCOPIA Connector plug-in and click **Next**.

- 11 In the Feature License window, accept the terms of the license agreement and click **Next**.
- 12 In the Installation window, click **Finish**.
- 13 Click **Install** or **Install All**.

If the installation is successful, you are prompted to restart the Sametime client to access to the new plug-ins.

Installation is now complete and the SCOPIA Connector plug-in Preferences window is now available.

PREVENTING MANUAL DOWNLOADING



This section describes how Sametime administrators can prevent end users from performing manual downloads to a Sametime Connect client.

Procedure

- 1 On the Sametime server host machine, open the `sametime.ini` configuration file located at `\Lotus\Domino`.
- 2 Under the `[config]` section, add the following line:
`DisableConnectPluginUpdates=1`.
- 3 Restart the server and reconnect with the client.

The user options are grayed out.

In the Sametime Connect client user interface, the options under **Tools > Plug-ins** are disabled.

INSTALLING THE PLUG-IN WITHOUT AN HTTP SERVER



This section describes how to install the SCOPIA Connector plug-in in Sametime Connect client from a local file without using an HTTP server. To do this, you locate the update site in a shared network directory. Users can then access this directory from the Sametime Client interface.

Procedure

- 1 Save the **sametime** directory to a shared network location.
- 2 In the Sametime Connect client user interface, choose choose **Tools > Plug-ins > Install plug-ins...**

- 3 In the Feature Updates window choose **Search for new features to install**, and click **Next**.
- 4 In the Update sites to visit window, click **Add Folder Location** (for Sametime 8.0) or **New Local Site** (for Sametime 7.5.1), navigate to the saved **sametime** directory and click **OK**.
- 5 Click **Finish**. The Sametime Connect client now searches for updates from the defined site.
- 6 In the Search Results window, select **sametime**.
- 7 Type a new name for the directory and click **OK**, or leave the directory name unchanged.
- 8 Click **Next**.
- 9 In the Feature License window, accept the terms of the license agreement and click **Next**.
- 10 In the Installation window, click **Finish**.
- 11 Click **Install** or **Install All**.

If the installation is successful, you are prompted to restart the Sametime client to access to the new plug-ins.

Installation is now complete and the SCOPIA Connector plug-in Preferences window is now available.
